

HEART FAILURE (HF) MEASURES GROUP
SuperBill Addendum
 (For Patients Age 18 and Older)

Patient Name: _____	Patient MRN: _____	Date of Service: _____	Physician: _____
---------------------	--------------------	------------------------	------------------

CPT: _____	ICD9: _____
------------	-------------

Measure Number and Title	Action Performed	Action Not Performed / Reason Documented	Action Not Performed / Reason Not Documented
5: Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD)	<input type="checkbox"/> 4009F & 3021F Angiotensin converting enzyme (ACE) inhibitor or angiotensin receptor blocker (ARB) therapy prescribed. Left ventricular ejection fraction (LVEF) < 40% or documentation of moderately or severely depressed left ventricular systolic function.	<input type="checkbox"/> 4009F-1P & 3021F Documentation of medical reason(s) for not prescribing ACE inhibitor or ARB therapy. Left ventricular ejection fraction (LVEF) < 40% or documentation of moderately or severely depressed left ventricular systolic function. <input type="checkbox"/> 4009F-2P & 3021F Documentation of patient reason(s) for not prescribing ACE inhibitor or ARB therapy. Left ventricular ejection fraction (LVEF) < 40% or documentation of moderately or severely depressed left ventricular systolic function. <input type="checkbox"/> 4009F-3P & 3021F Documentation of system reason(s) for not prescribing ACE inhibitor or ARB therapy. Left ventricular ejection fraction (LVEF) < 40% or documentation of moderately or severely depressed left ventricular systolic function. <input type="checkbox"/> 3022F Left ventricular ejection fraction (LVEF) ≥ 40% or documentation as normal or mildly depressed left ventricular systolic function. <input type="checkbox"/> 3021F-8P Left ventricular ejection fraction (LVEF) not performed or documented.	<input type="checkbox"/> 4009F-8P & 3021F ACE inhibitor or ARB therapy was not prescribed. No reason noted. Left ventricular ejection fraction (LVEF) < 40% or documentation of moderately or severely depressed left ventricular systolic function.

<p>8: Beta-Blocker Therapy for Left Ventricular Systolic Dysfunction (LVSD)</p>	<p><input type="checkbox"/> G8450 Beta-blocker therapy prescribed for patients with left ventricular ejection fraction (LVEF) <40% or documentation as moderately or severely depressed left ventricular systolic function.</p>	<p><input type="checkbox"/> G8451 Clinician documented patient with left ventricular ejection fraction (LVEF) <40% or documentation as moderately or severely depressed left ventricular systolic function was not eligible candidate for beta-blocker therapy.</p> <p><input type="checkbox"/> G8395 Left ventricular ejection fraction (LVEF) ≥ 40% or documentation as normal or mildly depressed left ventricular systolic function.</p> <p><input type="checkbox"/> G8396 Left ventricular ejection fraction (LVEF) not performed or documented.</p>	<p><input type="checkbox"/> G8452 Beta-blocker therapy not prescribed for patients with left ventricular ejection fraction (LVEF) <40% or documentation as moderately or severely depressed left ventricular systolic function.</p>
<p>114: Inquiry Regarding Tobacco Use (Preventive Care & Screening)</p>	<p><input type="checkbox"/> 1000F & 1034F Tobacco use assessed. Current Smoker.</p> <p><input type="checkbox"/> 1000F & 1035F Tobacco use assessed. Current Smokeless Tobacco User.</p> <p><input type="checkbox"/> 1000F & 1036F Tobacco use assessed. Current Non-smoker.</p>		<p><input type="checkbox"/> 1000F-8P Tobacco use not assessed. No reason noted.</p>
<p>115: Advising Smokers and Tobacco Users to Quit (Preventive Care & Screening)</p>	<p><input type="checkbox"/> G8455 & 4000F Smoker. Cessation Intervention – Counseling.</p> <p><input type="checkbox"/> G8455 & 4001F Smoker. Cessation Intervention – Medical Therapy.</p> <p><input type="checkbox"/> G8456 & 4000F Smokeless Tobacco User. Cessation Intervention – Counseling.</p> <p><input type="checkbox"/> G8456 & 4001F Smokeless Tobacco User. Cessation Intervention – Medical Therapy</p>	<p><input type="checkbox"/> G8457 Tobacco non-user.</p>	<p><input type="checkbox"/> 4000F-8P Not counseled or tobacco use not assessed. No reason noted.</p>

<p>198: Left Ventricular Function (LVF) Assessment</p>	<p><input type="checkbox"/> 3020F Left ventricular function (LVF) assessment (eg, echocardiography, nuclear test, or ventriculography) documented in the medical record. (Includes: Quantitative or qualitative assessment results)</p>		<p><input type="checkbox"/> 3020F-8P Quantitative or qualitative results of LVF assessment not performed or assessed. No reason noted.</p>
<p>199: Patient Education</p>	<p><input type="checkbox"/> 4003F Patient education, written/oral, appropriate for patients with heart failure performed.</p>		<p><input type="checkbox"/> 4003F-8P Patient education, written/oral, appropriate for patients with heart failure not performed. No reason noted.</p>